MOTION NO. 1290

2

1 .

3

4

6

7

9

8

10-

12

13

14 15

16

1.7

18

19 20

21

22

23 24

25

26 27

28

29

30 31

32

33

ACTING CLERK OF the Council

ATTEST: .

THE KING COUNTY COUNCIL, by this Motion, does accept the report of the Zoning and Subdivision Examiner attached hereto which was filed with the Clerk of the Council on September 7, 1973, regarding the current use assessment application for Open Space petitioned by __M & R Minzel Trust Estate ____, designated by the Division of Land Use Management File No.

A MOTION concurring with the recommendation

Current Use Assessment Application for Open Space petitioned by <u>M & R Minzel Trust Estate</u>

and designated File No. 318-73-S

of the Zoning and Subdivision Examiner on the

318-73-S, and the Council does concur with the recommendations contained therein, with the following additional conditions:

- 1: Within sixty (60) days from the date of this motion, the applicant shall obtain a letter from the King County Department of Health certifying that all residences on the property are served by a sewage disposal system which is adequate to prevent the pollution of surface and ground waters.
- 2. During the term of the Open Space Taxation Agreement, said sewage disposal system shall be maintained in a condition which will prevent the pollution of surface and ground waters.

PASSED at a regular meeting of the King County Council this 24th day of <u>September</u>, 1973.

KING COUNTY COUNCIL
KING COUNTY, WASHINGTON

Vict chairman